

	L #	Hits	Search Text	DBs
1	L1	1125	(523/160).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L2	1308	(523/161).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L3	1270 72	(polyvinylpyrrolidone or pvp! or polyvinyl adj pyrrolidone or vinylpyrrolidone or vinylpyrrolidone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L4	6870 40	viscosity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L5	9269 24	conductiv\$4 near5 (material or agent) or (gold or silver or nickel or aluminum platinum or tungsten or tin or magnesium or barium or srontium or lead ot antimony or uindium or cobalt or ag! or au! or al! or pt! or sn! or mg! or ba! or st! or pb! or at! or in! of co!) near10 (powder or conductiv\$5) or metal adj powder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
6	L6	1351	metal adj resinate or silver adj neodecanoate or ludox\$2 adj am or (clacium or magnesium or bismuth or lead) adj resinate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	L7	4770 2	triacrylate or trimethacrylate or diacrylate or dimethacrylate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L8	2596 9	photoinitiator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	L9	1	1 and 3 and 4 and 5 and 6 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L10	1	2 and 3 and 4 and 5 and 6 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L11	2	2 and 3 and 4 and 5 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
12	L12	3	1 and 3 and 4 and 5 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	L14	2	(1 2) and 3 and conductiv\$5 and 4 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	L15	97	(1 2) and 3 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	L16	7	(1 2) and 3 near5 dispers\$4 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	L17	1	(1 2) and 3 near5 dispers\$4 near5 (solvent or water) and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	L18	11	(1 2) and (polymer or resin or binder or copolymer) near5 dispers\$4 near5 (solvent or water) same 3 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>18</b>	L21	885	(524/548).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>19</b>	L22	389	(524/516).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>20</b>	L23	911	(524/523).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>21</b>	L24	0	(21 22 23) and ink and 3 and 4 and 5 and 6 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>22</b>	L25	2	(21 22 23) and ink and 3 and 4 and 5 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>23</b>	L26	2	(21 22 23) and ink and 3 and conductiv\$5 and 4 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
24	L27	11	(21 22 23) and ink and 3 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	L28	0	(21 22 23) and ink and 3 near5 dispers\$4 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	L29	2	(21 22 23) and ink and (polymer or resin or binder or copolymer) near5 dispers\$4 near5 (solvent or water) same 3 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	L30	0	(21 22 23) and 3 and 4 and 5 and 6 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	L31	2	(21 22 23) and 3 and 4 and 5 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	L32	359	(106/31.13).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>30</b>	L33	420	(106/31.32).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>31</b>	L34	434	(106/31.64).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>32</b>	L35	0	(32 33 34) and ink and 3 and 4 and 5 and 6 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>33</b>	L36	1	(32 33 34) and 3 and 4 and 5 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>34</b>	L37	1	(32 33 34) and 3 and conductiv\$5 and 4 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>35</b>	L38	38	(32 33 34) and 3 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
36	L39	5	(32 33 34) and 3 near5 dispers\$4 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	L40	3	(32 33 34) and (polymer or resin or binder or copolymer) near5 dispers\$4 near5 (solvent or water) same 3 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	L41	3461	((347/100) or (347/105) or (347/106) or (347/107)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	L42	0	41 and 3 and 4 and 5 and 6 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	L43	7	41 and 3 and 4 and 5 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	L44	9	41 and 3 and conductiv\$5 and 4 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
42	L45	225	41 and 3 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	L46	7	41 and 3 near5 dispers\$4 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	L47	10	41 and (polymer or resin or binder or copolymer) near5 dispers\$4 near5 (solvent or water) same 3 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	L48	7	(1 2 21 22 23 32 33 34 41) and 3 near5 dispers\$5 near5 (vehicle or medium or ink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	L49	607	(1 2 21 22 23 32 33 34 41) and (polymer or resin) near5 dispers\$5 near5 (vehicle or medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	L50	59	49 and 3 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	L #	Hits	Search Text	DBs
48	L51	1	(1 2 21 22 23 32 33 34 41) and 3 and 4 and (functional adj material or barium adj titanate or titanium adj dioxide) and 6 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	L52	1	(1 2 21 22 23 32 33 34 41) and 3 and 4 and 6 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	L53	34	(1 2 21 22 23 32 33 34 41) and 3 and 4 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	L54	36	(1 2 21 22 23 32 33 34 41) and ink and (polymer or resin or binder or copolymer) near5 dispers\$4 near5 (solvent or water) same 3 and 4 near5 (cp! or cps! or mpa! or mpas!)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	L55	17	(1 2 21 22 23 32 33 34 41) and ink and (dispersion or solution) near5 3 and 4 near5 (cp! or cps! or mpa! or mpas!)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	L56	257	(1 2 21 22 23 32 33 34 41) and (ink or print\$3) near5 circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
54	L57	10	56 and 3 and 4 near5 (cp! or cps! or mpa! or mpas!)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	L58	43	(1 2 21 22 23 32 33 34 41) and ink and (dispersion or solution) with 3 and 4 near5 (cp! or cps! or mpa! or mpas!)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	L59	49	(1 2 21 22 23 32 33 34 41) and 3 near5 dissolv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	L60	13	59 and (5 6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	L61	7	59 and 4 near5 (cp! or cps! or mpa! or mpas!)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
59	L64	67	(("2003108664") or ("2003175411") or ("2760863") or ("2850445") or ("2875047") or ("2927022") or ("3074974") or ("3097096") or ("3097097") or ("3145104") or ("3380831") or ("3427161") or ("3479185") or ("3549367") or ("4162162") or ("5132248") or ("5882722") or ("6017259") or ("6153348") or ("6274412") or ("6379745") or ("20030110978")) .PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	L65	4	64 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	L66	6	ep-989570-\$.did. or jp- 2000327964-\$.did. or jp- 2002134878-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	1113 51	polyvinylpyrrolidone or pvp! or polyvinyl adj pyrrolidone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L2	9269 24	conductiv\$4 near5 (material or agent) or (gold or silver or nickel or aluminum platinum or tungsten or tin or magnesium or barium or srontium or lead ot antimony or uindium or cobalt or ag! or au! or al! or pt! or sn! or mg! or ba! or st! or pb! or at! or in! of co!) near10 (powder or conductiv\$5) or metal adj powder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L3	1351	metal adj resinate or silver adj neodecanoate or ludox\$2 adj am or (clacium or magnesium or bismuth or lead) adj resinate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L4	4770 2	triacrylate or trimethacrylate or diacrylate or dimethacrylate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L5	2596 9	photoinitiator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
6	L6	11	(inkjet or ink near3 jet) and 1 and 2 and 3 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	L7	65	(inkjet or ink near3 jet) and 1 and 2 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L8	13	(inkjet or ink near3 jet) and 1 and 3 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	L9	126	(inkjet or ink near3 jet) and 1 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L10	20	(7 8 9) and viscosity near10 (cp! or cps! or mpas! or mpa!)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L11	1	silver adj ink and 1 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>12</b>	L12	0	silver adj ink and 1 and 2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>13</b>	L13	50	silver adj ink and 1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>14</b>	L14	4173	(inkjet or ink near3 jet) and viscosity near10 (cp! or cps! or mpas! or mpa!)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>15</b>	L15	738	1 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>16</b>	L16	92	1 with (dispersion or dispersed or dispersible or dispersable) and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>17</b>	L17	261	2 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
18	L18	37	1 with dissolv\$3 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	L19	20	4 and 5 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	L20	99	(inkjet or ink near3 jet) and viscosity and 1 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	L22	24	5 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	L21	100	4 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	L23	3093	(1 or vinyl adj pyrrolidone or vinylpyrrolidone) same 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
24	L24	148	23 and (inkjet or ink near3 jet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	L26	115	24 and viscosity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	L27	736	1 same 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	L28	14	27 and viscosity and (inkjet or ink near3 jet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	L29	4	(curable or cure or curing) near5 ink and 1	EPO; JPO; DERWENT
29	L30	2	("2003175411").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	L31	2	("20030175411").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>31</b>	L32	1	1 and 31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>32</b>	L33	1	de-19846096-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>33</b>	L34	9	(( "5798397" ) or ("6171381" ) or ("5565143" ) ).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>34</b>	L35	7	34 and viscosity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>35</b>	L36	2	("20030146019").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>36</b>	L37	1	(inkjet or ink near3 jet) and 36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
37	L38	2	("20050176849").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	L39	1	38 and firing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	L40	5576	firing near5 substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	L41	703	(inkjet or ink near3 jet) and 40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	L42	1824	((523/160) or (523/161)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	L43	3	41 and 42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
43	L44	3461	((347/100) or (347/105) or (347/106) or (347/107)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	L45	15	40 and 44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	L46	2	("20030146019").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	L47	0	46 and firing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	L48	1	46 and fir\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	L49	776	(inkjet or ink near3 jet) and binder same (polyacrylate or polymethacrylate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
49	L50	12	49 and 42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	L51	354	(inkjet or ink near3 jet) and binder same (acrylate or methacrylate) and (solvent or oil) near5 base\$2 near5 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	L52	1	mead.in. and binder and (inkjet or ink near3 jet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	L53	26	zhu.in. and binder and (inkjet or ink near3 jet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	L54	1	38 and polyacrylate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	L55	874	polyacrylate with (acrylic or methacrylic) and (inkjet or ink near3 jet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
55	L56	23	55 and 42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	L57	383	((gold or silver or nickel or aluminum platinum or tungsten or tin or magnesium or barium or strontium or lead or antimony or indium or cobalt or ag! or au! or al! or pt! or sn! or mg! or ba! or st! or pb! or at! or in! of co!) near10 (powder or conductiv\$5) or metal adj powder) with coat\$5 with surfactant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	L58	569	((gold or silver or nickel or aluminum platinum or tungsten or tin or magnesium or barium or strontium or lead or antimony or indium or cobalt or ag! or au! or al! or pt! or sn! or mg! or ba! or st! or pb! or at! or in! of co!) near10 (powder or conductiv\$5) or metal adj powder) with coat\$5 with (stearic or stearate or palmitic or palmitate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
58	L59	104	(57 58) and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	L60	1087 7	((gold or silver or nickel or aluminum platinum or tungsten or tin or magnesium or barium or strontium or lead or antimony or indium or cobalt or ag! or au! or al! or pt! or sn! or mg! or ba! or st! or pb! or at! or in! or co!) near10 (powder or conductiv\$5) or metal adj powder) with (surfactant or stearic or stearate or palmitic or palmeate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	L61	788	60 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	L62	6	60 and 42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	L63	87	60 and ink.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
63	L64	564	((gold or silver or nickel or aluminum platinum or tungsten or tin or magnesium or barium or srontium or lead ot antimony or uindium or cobalt or ag! or au! or al! or pt! or sn! or mg! or ba! or st! or pb! or at! or in! or co!) near10 (powder or conductiv\$5) or metal adj powder) with treat\$4 with (surfactant or stearic or stearate or palmitic or palmeate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	L65	283	(gold or silver or nickel or aluminum platinum or tungsten or tin or magnesium or barium or srontium or lead ot antimony or uindium or cobalt or ag! or au! or al! or pt! or sn! or mg! or ba! or st! or pb! or at! or in! or co!) with (surfactant or stearic or stearate or palmitic or palmeate) with leaf\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	L66	130	(64 65) and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
66	L67	5	(inkjet or ink near3 jet) and substrate with glass and substrate with chang\$3 near5 surface adj tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	L68	127	(inkjet or ink near3 jet) and substrate with glass and substrate near5 surface adj tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	L69	9	(inkjet or ink near3 jet) and substrate with glass and substrate near5 (reduc\$5 or modify\$3 or modified or raise or lower) near5 surface adj tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	L70	22	(inkjet or ink near3 jet) and substrate near5 (reduc\$5 or modify\$3 or modified or raise or lower) near5 surface adj tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
70	L71	13	70 not 69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
71	L72	7	(inkjet or ink near3 jet) and substrate with chang\$3 near5 surface adj tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	L #	Hits	Search Text	DBs
72	L73	0	substratre with surface adj tension with surfactant and 44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	L74	10	substrate with surface adj tension with surfactant and 44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	L75	0	substrate near10 (treat\$4 or pretreat\$4 or coat\$3 or wash\$3) near10 surfactant near10 surface adj tension and 44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	L76	12	substrate near10 (treat\$4 or pretreat\$4 or coat\$3 or wash\$3) near10 surfactant near10 surface adj tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	L77	123	substrate near10 (treat\$4 or pretreat\$4 or coat\$3 or wash\$3) near10 surfactant same surface adj tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	L78	56	77 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
78	L79	47	substrate near5 (treat\$4 or pretreat\$4 or coat\$3 or wash\$3) near10 (chang\$3 or reduc\$4 or increas\$3 or lower\$3 or modify\$3 or modified) near5 surface adj tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
79	L80	14	79 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	L81	14	glass near10 (treat\$4 or pretreat\$4 or coat\$3 or wash\$3) near10 surfactant same surface adj tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
81	L82	9	substrate same zonyl same (chang\$3 or reduc\$4 or increas\$3 or lower\$3 or modify\$3 or modified) near5 surface adj tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
82	L83	207	substrate near5 (chang\$3 or reduc\$4 or increas\$3 or lower\$3 or modify\$3 or modified) near5 surface adj tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	L84	36	83 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
84	L85	387	substrate with (silicon\$3 or fluoropolymer or fluororesin or fluorin\$5 or silocane or polysiloxane) with surface adj tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
85	L86	89	85 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
86	L87	356	substrate near10 (treat\$4 or pretreat\$4 or coat\$3 or wash\$3) near10 surface adj tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	L88	99	87 and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	L89	1651	(inkjet or ink near3 jet) and firing same ink same substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	L90	605	89 and ink.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>90</b>	L91	266	(inkjet or ink near3 jet) and firing near5 ink near5 substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>91</b>	L92	2	(inkjet or ink near3 jet) and firing near5 ink near5 glass adj substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>92</b>	L93	2	(inkjet or ink near3 jet) and firing with ink with glass adj substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>93</b>	L94	17	89 and 42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>94</b>	L95	26	(inkjet or ink near3 jet) and firing same ink same glass adj substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>95</b>	L96	72	(inkjet or ink near3 jet) and firing same glass adj substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
96	L97	19	(inkjet or ink near3 jet) and firing adj profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
97	L98	3149	(inkjet or ink near3 jet) and firing near5 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
98	L99	46	98 and 42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
99	L100	330	(inkjet or ink near3 jet) and firing near5 (printed near3 ink or image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
100	L101	3	100 and 42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
101	L102	2	("6861377").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
102	L103	1	102 and surface adj tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
103	L104	6	(inkjet or ink near3 jet) and firing with (fuse or fusing) with ink with substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
104	L105	110	(medium or sheet or glass or paper or substrate) near5 (chang\$3 or reduc\$4 or increas\$3 or lower\$3 or modify\$3 or modified) near5 surface adj tension and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
105	L106	25	(glass or substrate) with corona with surface adj tension and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
106	L107	52	(glass or substrate) with corona same surface adj tension and ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
107	L108	3321	(inkjet or ink near3 jet) and (firing or sinter\$3) near5 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
108	L109	382	(inkjet or ink near3 jet) and substrate with glass and 108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
109	L110	181	(inkjet or ink near3 jet) and (sinter\$3) near5 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
110	L111	37	(inkjet or ink near3 jet) and substrate with glass and 110	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
111	L112	2	("20050214480").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
112	L113	1	112 and (sinter\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
113	L114	2	(inkjet or ink near3 jet) and (firing near2 sinter\$3) near5 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>114</b>	L115	30	sinter\$3 and 42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>115</b>	L116	2	("20030175411").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>116</b>	L117	1	116 and solvent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>117</b>	L118	1	116 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>118</b>	L119	0	116 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>119</b>	L120	2	116 andcatridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>120</b>	L121	0	116 and cartidge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>121</b>	L122	0	116 and cartridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>122</b>	L123	1	116 and jet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	1270 72	(polyvinylpyrrolidone or pvp! or polyvinyl adj pyrrolidone or vinylpyrrolidone or vinylpyrrolidone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L2	6870 40	viscosity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L3	9269 24	conductiv\$4 near5 (material or agent) or (gold or silver or nickel or aluminum platinum or tungsten or tin or magnesium or barium or srontium or lead ot antimony or uindium or cobalt or ag! or au! or al! or pt! or sn! or mg! or ba! or st! or pb! or at! or in! of co!) near10 (powder or conductiv\$5) or metal adj powder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L4	1351	metal adj resinate or silver adj neodecanoate or ludox\$2 adj am or (clacium or magnesium or bismuth or lead) adj resinate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L5	4770 2	triacrylate or trimethacrylate or diacrylate or dimethacrylate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
6	L6	352	(inkjet or ink near3 jet) and 1 and 2 and 5 and initiator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	L7	103	(inkjet or ink near3 jet) and 1 and 2 near10 (cp! or cps! or mpa! or mpa) and 5 and initiator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L8	21	("20020004539"   "20020068772"   "20020198289"   "4228438"   "4303924"   "4978969"   "5270368"   "5275646"   "5380769"   "5641346"   "5770325"   "5889084"   "6114404"   "6114406"   "6145979"   "6164850"   "6296986"   "6300388"   "6310115"   "6326419"   "6586492").PN. OR ("6896937").URPN.	US-PGPUB; USPAT; USOCR
9	L9	2	1 and 8	US-PGPUB; USPAT; USOCR
10	L11	352	6 and (aqueous or water or solvent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L12	296	6 and (ink or medium or vehicle) near5 (aqueous or water or solvent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
12	L13	1015	(curable or cured or curing or cure) with ink and 2 and 5 and (ink or medium or vehicle) near5 (aqueous or water or solvent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	L14	354	1 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	L15	154	(inkjet or ink near3 jet) and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	L16	749	(polyvinylpyrrolidone or pvp! or polyvinyl adj pyrrolidone) and (cure or cured or curing or curing or curable) near5 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	L17	546	16 and (ink or medium or vehicle) near5 (aqueous or water or solvent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	L18	1824	((523/160) or (523/161)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
18	L19	21	17 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	L20	102	16 and 2 near10 (cp! or cps! or mpa! or mpa)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	L21	2	("20030119943").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	L22	2	21 and jet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	L23	2	21 and inkjet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	L24	1	21 and (acrylate or acrylic or polyacrylate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
24	L25	2	21 and binder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	L26	0	21 and conductiv\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	L27	1	21 and (initiaotr or photoinitiator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	L28	0	21 and cartridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	L29	1824	((523/160) or (523/161)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	L30	6	29 and contact adj lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
30	L31	4	30 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	L32	53	29 and (triethyleneglycol or triethylene adj glycol) adj (diacrylate or dimethacrylate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	L33	0	32 and contact adj lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	L34	1147 6	(ethylene adj glycol or diethylene adj glycol or propanediol or hexanediol or butanediol) adj (diacrylate or dimethacrylate) same (triacrylate or trimethacrylate or (triethyleneglycol or triethylene adj glycol) adj (diacrylate or dimethacrylate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	L35	668	(inkjet or ink near3 jet) and 34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>35</b>	L36	69	29 and 35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>36</b>	L37	2	("6341856").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>37</b>	L38	0	37 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>38</b>	L39	147	(inkjet or ink near3 jet).ti. and 34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>39</b>	L40	75	(curable or cured or curing or cure) with ink and 39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>40</b>	L41	2	("6379444").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	L #	Hits	Search Text	DBs
41	L42	0	1 and 41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	L43	1578	metal adj resinate or silver adj neodecanoate or ludox\$2 adj am or (calcium or magnesium or bismuth or lead) adj resinate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	L44	129	(inkjet or ink near3 jet) and 43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	L45	303	16 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	L46	231	45 and viscosity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	L47	184	46 not 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
47	L48	4	(polyvinylpyrrolidone or pvp! or polyvinyl adj pyrrolidone) and (cure or cured or curing or curing or curable) near5 ink	EPO; JPO; DERWENT
48	L49	2	("20030175411").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	L50	5960 93	(ingredients or composition) same (mixer or mixing or homogeniz\$3 or knead\$3 or dispers\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	L51	1	49 and 50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	L52	1	49 and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	L53	1	49 and solvent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB